

# 2022

## THE PRODUCT REPLACEMENT ACCORDING TO THE NEW ERP DIRECTIVE

**O2O**  
by LED·POL



**AM.M**  
by LED·POL



## NECESSARY CHANGES

- lower reactive power production
- new ErP directive
- eye-friendly lighting
- raised luminary efficacy
- no flickering effect and no stroboscope effect
- new design of the packaging



## E27

IT WAS	85-93 lm/W	lm	NOW	100-120 lm/W	lm
ORO-ATOS-E27-A60-13W		1220 lm	ORO-ATOS-E27-A60-10,5W		1255 lm
ORO-ATOS-E27-A60-11W		1055 lm	ORO-ATOS-E27-A60-8,5W		1050 lm
ORO-ATOS-E27-A60-9W		806 lm	ORO-ATOS-E27-A60-7,5W		806 lm
ORO-E27-G45-TOTO-6W		470 lm	ORO-E27-G45-TOTO-5W		500 lm

## E14

IT WAS	71-78 lm/W	lm	NOW	71-100 lm/W	lm
ORO-E14-C37-TOTO-6W		470 lm	ORO-E14-C37-TOTO-5W		500 lm
ORO-E14-G45-TOTO-6W		470 lm	ORO-E14-G45-TOTO-5W		500 lm
AMM-E14-C37-3,5W		249 lm	ORO-E14-C37-TOTO-3,5W		249 lm
AMM-E14-G45-3,5W		249 lm	ORO-E14-G45-TOTO-3,5W		249 lm
ORO-E14-R50-5,5W		500 lm	ORO-E14-R50-5W		500 lm

## GU10

IT WAS	61-65 lm/W	lm	NOW	66 lm/W	lm
ORO-GU10-TOTO-6W		370 lm	ORO-GU10-TOTO-6,5W		430 lm
ORO-GU10-TOTO-4W		250 lm	ORO-GU10-TOTO-5W		330 lm
ORO-GU10-BAHO-2W		130 lm	ORO-GU10-TOTO-3W		200 lm

## G9

IT WAS	66-100 lm/W	lm	NOW	117-130 lm/W	lm
ORO-ATOS-G9-7W		700 lm	ORO-G9-PETIT-4,8W		630 lm
ORO-G9-SEDI-4,5W		400 lm	ORO-G9-SEDI-4W-II		470 lm
ORO-G9-APLA-3,5W		350 lm	ORO-G9-APLA-3,5W-II		410 lm
ORO-G9-OLI-3W		200 lm	ORO-G9-OLI-3W-II		350 lm



## E27

IT WAS	76-88 lm/W	lm	NOW	95-98 lm/W	lm
AMM-E27-A65-15W		1251 lm	AMM-E27-A60-13W		1275 lm
AMM-E27-A60-12W		1055 lm	AMM-E27-A60-11W		1055 lm
AMM-E27-A60-10W-WW-III		780 lm	AMM-E27-A60-8,5W-WW		806 lm
AMM-LITE-E27-A55-5W		380 lm	AMM-E27-A60-4,9W		470 lm
AMM-E27-C37-5W		396 lm	AMM-E27-C37-4,9W		470 lm
AMM-E27-B45-5W		396 lm	AMM-E27-G45-4,9W		470 lm

## E14

IT WAS	79 lm/W	lm	NOW	95 lm/W	lm
AMM-E14-C30-5W		396 lm	AMM-E14-C37-4,9W		470 lm
AMM-E14-G45-5W		396 lm	AMM-E14-G45-4,9W		470 lm
AMM-E14-B45-5W-WW		396 lm	AMM-E14-G45-4,9W-WW		470 lm

## GU10

IT WAS	64 lm/W	lm	NOW	65 lm/W	lm
AMM-GU10-5W		320 lm	AMM-GU10-4,9W		320 lm

## G9

IT WAS	80 lm/W	lm	NOW	116 lm/W	lm
AMM-G9-2,5W		200 lm	AMM-G9-3W		350 lm

THE COMPANY LED-POL AND THE FOUNDATION "MYSIKRÓLIK"

Together we protect the beautiful animals as the birds are. We also take care for the wild endangered animals.

JOIN US!



LED-POL Spółka z ograniczoną  
odpowiedzialnością Sp.k.  
ul. Kustronia 40, 43-300 Bielsko-Biała

phone +48 33 822 63 10  
e-mail: [export@led-pol.pl](mailto:export@led-pol.pl)

[www.led-pol.com](http://www.led-pol.com)

Address for correspondence

Led-Pol Sp. z o.o. Sp.k.  
Mazańcowice 614

43-391 Mazańcowice, Polska



sprzedaż LED  
od 15 lat



doświadczeni  
doradcy



szybka realizacja  
zamówień



opieka dedykowanego  
przedstawiciela